Alliston, W.G. (1981). The distribution of ringed seals in relation to winter icebreaking activities in Lake Melville, Labrador. Report by LGL Limited, St. John's, NF, for Arctic Pilot Project, Calgary, AB. 13 p.

Американский деловой центр – Южно-Сахалинск (2001 г.). *Sakhalin Oil and Gas Update, Summer 2001.*

Andersen, S. (1970). Auditory sensitivity of the harbour porpoise *Phocoena phocoena*. *Invest. Cetacea*. 2:255-259.

Arnold, B.W. (1996). Visual monitoring of marine mammal activity during the Exxon 3-D seismic survey/Santa Ynez Unit, offshore California/9 November to 12 December 1995. Rep. from Impact Sciences Inc., San Diego, California, for Exxon Co. USA., Thousand Oaks, CA. 25 p.

Арсеньев В.А. (1939 г.). Распределение и миграции белухи на Дальнем Востоке, Известия ТИНРО (Тихоокеанский научно-исследовательский институт рыбного хозяйства и океанографии), т. 15. 111 стр.

Au, W.W.L., A.N. Popper, and R.R. Fay (eds.). (2000). Hearing by whales and dolphins. Springer-Verlag, New York, NY. 485 p.

Aubrey, F.T., J.A. Thomas, and R.A. Kastelein. (1988). Low-frequency underwater hearing sensitivity in belugas, *Delphinapterus leucas*. *J. Acoust. Soc. Am*. 84(6):2273-2275.

Balla-Holden, A.N., L.R. Martin, W.J. Richardson, and C.R. Greene Jr. (1998). Appendix A: Shallow Hazards Survey, 1997. *In:* W.J. Richardson (ed.), Marine mammal and acoustical monitoring of BP Exploration (Alaska's) open-water seismic program in the Alaskan Beaufort Sea, 1997. LGL Rep. TA2150-3. Rep. from LGL Limited, King City, ON, and Greeneridge Sciences Inc., Santa Barbara, CA, for BP Explor. (Alaska) Inc., Anchorage, AK, and U.S. Nat. Mar. Fish. Serv., Anchorage, AK, and Silver Spring, MD. 318 p.

Берзин А. А., Владимиров В.Л. (1989 г.). Последнее распределение и численности китообразных в Охотском море. *Биол. Мор*. 2:15-23.

Берзин А. А., Владимиров В.Л., Дорошенко Н.В. (1988 г.). Результаты аэрофотосъемки для изучения распределения и численности китообразных в прибрежных водах Охотского моря в 1986-1987 гг. стр. 18-25. Ред. Чернышева, Всесоюзный научно-исследовательский институт рыболовства и океанографии (ВНИРО), Москва, СССР. (на русском языке)

Берзин А. А., Владимиров В.Л., Дорошенко Н.В. (1990 г.). Аэрофотосъемка для определения распределения и количества полярных китов в Охотском море и китов-белух в Охотском море в 1985-1989 гг. Известия Тихоокеанского научно-исследовательского института рыбного хозяйства и океанографии (ТИНРО) 112:51-60. (на русском языке).

Берзин А. А., Владимиров В.Л., Дорошенко Н.В. (1991 г.). Результаты аэрофотосъемки для изучения распределения и численности китов в Охотском море в 1988-1990 гг. стр. 6-17 Ред. Л.А.Попов, Всесоюзный научно-исследовательский институт рыболовства и океанографии (ВНИРО), Москва, Россия. (на русском языке).

Берзин А. А., Владимиров В.Л., Маминов М.К. (1984 г.). Результаты авааучета морских млекопитающих в Охотском море в 1981 и1982 гг. Научно-исследовательские работы по морским млекопитающим северной части Тихого океана. Москва, 15-22 стр.

BISNIS, Business Information Service for the Newly Independent States (2002). *Regional Corner: Sakhalin Island.* Information provided at http://www.iep.doc.gov/bisnis/bisnis.html

Bjørge, A. and K.A. Tolley. (2002). Harbor porpoise, *Phocoena phocoena*. p. 549-551 *In* W. F. Perrin, B. Wursig, and J. G. M. Thewissen (eds.), Encyclopedia of Marine Mammals. Academic Press. 1414 p.

Блохин С.А. (1996 г.). Распределение, численность и поведение серых китов (Eschrichtius robustus) американской и азиатской популяций в районах их летнего нагула у побережья Дальнего Востока. Известия Тихоокеанского научно-исследовательского института рыбохозяйственного центра 121:6-53. (на русском языке).

Блохин С.А., Маминов М.К. и Косыгин Г.М. (1985 г.). О корейско-охотской популяции серых китов. 35:375-376.

Bowen, S.L. (1974). Probable extinction of the Korean stock of the gray whale (Eschrichtius robustus). *J. Mammal.* 55:208-209.

Bowles, A.E., M. Smultea, B. Würsig, D.P. DeMaster, and D. Palka. (1994). Relative abundance and behavior of marine mammals exposed to transmissions from the Heard Island Feasibility Test. *J. Acoust. Soc. Am.* 96(4):2469-2484.

Bradford, A.L., D.W. Weller, and B. Würsig. (1999). Largha seal haul-out patterns in a coastal lagoon on Sakhalin Island, Russia. Abstracts of the 13th Biennial Conference on the Biology of Marine Mammals, 28 Nov. – 3 Dec. 1999, Kihei, Maui, HI.

Brodie, P.F. (1975). Cetacean energetics: an overview of intraspecific size variation. *Ecology* 56:152-161.

Brownell, R.L. (1999). Okhotsk gray whales – One of the most endangered whale population[s]. *Newsletter Sphere Square* 13:2-3 (in Japanese).

Brownell, R.L. and C.I. Chun. (1977). Probable existence of the Korean stock of the gray whale (*Eschrichtius robustus*). *J. Mammal*. 58:237-239.

Brownell, R.L., Jr., L. Rojas Bracho, S.L. Swartz, R.J. Urban, M.L. Jones, H. Perez-Cortes, W. Perryman, and D.P. DeMaster. (2001b). Status of the eastern gray whale population: past and future monitoring. *Int. Whal. Comm. Sci. Comm. Rep* SC/53/BRG21.

Brownell, R.L., P.J. Clapham, T. Miyashita, and T. Kasuya. (2001a). Conservation status of the North Pacific right whales. *J. Cetacean Res. Manage. (Spec. Issue)*:269-286.

Brownell, R.L., S.A. Blokhin, A.M. Burdin, A.A. Berzin, R.G. LeDuc, R.L. Piman, and H. Minakuchi. (1997). Observations on the Okhotsk-Korean gray whales on their feeding grounds of Sakhalin Island. *Rep. Int. Whal. Comm.* 47:161-162.

Buckland, S.T, K.L. Cattanach, and T. Miyashita. (1992). Minke whale abundance in the northwest Pacific and the Okhotsk Sea, estimated from 1989 and 1990 sighting surveys. *Rep. Int. Whaling Comm.* 42:387-392.

Burns, J.J. and K.J. Frost. (1979). Natural history and ecology of the bearded seal, *Erignathus barbatus*. Environ. Assess. Alaskan Cont. Shelf, Final Rep. Princ. Invest., NOAA, Juneau, AK 19:311-392. 565 p. NTIS PB 85-200939.

Burns, J.J. and S.J. Harbo, Jr. (1972). An aerial census of ringed seals, northern coast of Alaska. *Arctic* 25(4):279-290.

Clapham, P.J., S.B. Young, and R.L Brownell. (1999). Baleen whales: conservation issues and the status of the most endangered populations. *Mamm. Rev*. 29(1): 35-60.

Cudahy, E. and J. Sims. (1998). Non-hearing physiological effects of sound in the marine environment. *In*: Proceedings, workshop on the effects of manmade sound on the marine environment. Office of Naval Research, Arlington, VA. (Draft, Feb. 1998).

Dahlheim, M.E. and D.K. Ljungblad. (1990). Preliminary hearing study on gray whales (*Eschrichtius robustus*) in the field. p. 335-346 *In:* J.A. Thomas and R.A. Kastelein (eds.), Sensory abilities of cetaceans/Laboratory and field evidence. Plenum, New York, NY. 710 p.

Darling, J.D., K.E. Keogh, and T.E. Steeves. (1998). Gray whale (*Eschrichtius robustus*) habitat utilization and prey species off Vancouver Island, BC. *Mar. Mam. Sci.* 14:692-720.

Dunham, J. S. and D.A. Duffus. (2001). Foraging patterns of gray whales in central Clayoquot Sound, British Columbia. *Mar. Ecol. Progr.Ser.* 223:299-310. EBRD (1996). *Environmental Procedures.*

Energy Information Administration (2002). *Russia: Oil and Natural Gas Exports.* Document provided by the US Energy Information Administration at www.eia.doe.gov

Engas, A., Løkkeborg, S., Ona, E. and Vold Soldal, A. (1996). *Effects of Seismic Shooting on Local Abundance and Catch Rates of Cod and Haddoc.* Institute of Marine Research, Norway.

Environment Australia. (2001). Management guidelines for seismic vessels operating in Australian waters so as to avoid or minimise interference with whales and certain other larger cetaceans. Attachment 6 *in* Guidelines on the application of the Environment Protection and Biodiversity Conservation Act to interactions between offshore seismic operations and larger cetaceans. Marine Species Section, Environment Australia, October 2001. ISBN 0642547784X.

European Environment Agency (2002). *EEA Multilingual Environmental Glossary.* Information provided at http://glossary.eea.eu.int.

Evans, P.G.H. and H. Nice. (1996). Review of the effects of underwater sound generated by seismic surveys on cetaceans. Sea Watch Foundation, Oxford, U.K. 50 p.

EXIM (1996). *Guidance Outline on Environmental Assessment Format and Contents.*

Fauna Information and Research Center (2001). *Monitoring of fall migration of Aquatic Birds at Bays of NE Shore of Sakhalin Island and Busse Lagoon.*

Федосеев Г.А., Волохов В.И. (1991 г.). Сравнительный демографический анализ популяции полосатых тюленей. *Научно-исследовательские работы по морским млекопитающим северной части Тихого океана в 1989-90 гг.* Москва, ВНИРО: 119-130 *(на русском языке).*

Федосеев Г.А. (1971 г.). Распределение и численность тюленей на залежках в Охотском море. В сб. исследования морских млекопитающих, Ленинград. стр. 87-99.

Федосеев Г.А. (2000 г.). Биология популяции связанных со льдом видов тюленей и их роль в северных тихоокеанских экосистемах. Центр

российской природоохранной политики, УМК «Психология». Москва. 271 стр.

Finneran, J.J., C.E. Schlundt, R. Dear, D.A. Carder, and S.H. Ridgway. (2000). Masked temporary threshold shift (MTTS) in odontocetes after exposure to single underwater impulses from a seismic watergun. J. Acoust. Soc. Am. 108.

Finneran, J.J., C.E. Schlundt, R. Dear, D.A. Carder, and S.H. Ridgway. (2002). Temporary shift in masked hearing thresholds in odontocetes after exposure to single underwater impulses from a seismic watergun. *J. Acoust. Soc. Am.* 111(6): 2929-2940.

Frantzis, A. (1998). Does military acoustic testing strand whales? *Nature* (London).

Friends of the Earth – Japan (1995). *Oil Exploration on the Northeastern Sakhalin Shelf – Environmental and Social Impacts*. Document provided at http://forests.org/archive/europe/sakfoe.htm.

Frost, K.J. and L.F. Lowry. (1990). Use of Kasegaluk Lagoon by marine mammals. p. 93-100 *In:* Alaska OCS Reg. 3rd Info. Transfer Meet. Conf. Proc., OCS Study MMS 90-0041. Rep. From MBC Appl. Environ. Sci., Costa Mesa, CA, for U.S. Minerals Manage. Serv., Anchorage, AK. 233 p.

Frost, K.J., L.F. Lowry, and G. Carroll. (1993). Beluga whale and spotted seal use of a coastal lagoon system in the northeastern Chukchi Sea. *Arctic* 46(1): 8-16.

Gadus Associates (1999). *Impacts of Seismic Surveys on Fish Behaviour and Fisheries Catch Rates on Georges Bank*.

Гептнер В.Г., Чапский К.К., Арсеньев В.А., Соколов В.Е. (1976 г.). Ластоногие и зубатые киты. В книге «Млекопитающие Советского Союза». Москва, Высшая школа, 1976 г., т.2., часть 3, 718 стр.

Gisiner, R.C. (ed.). (1999). Proceedings/Workshop on the effects of anthropogenic noise in the marine environment, Bethesda, MD, Feb. 1998. Office of Naval Research, Arlington, VA. 141 p. Available at www.onr.navy.mil/scitech/personnel/cnbsci/Proceed.pdf.

Goold, J.C. (1996a). Acoustic assessment of common dolphins off the west Wales coast, in conjunction with 16th round seismic surveying. Report to Chevron UK Ltd., Repsol Exploration (UK) Ltd., and Aran Energy Exploration Ltd., from School of Ocean Sciences, University of Wales, Bangor, Wales. 1-22.

Goold, J.C. (1996b). Acoustic assessment of populations of common dolphin *Delphinus delphis* in conjunction with seismic surveying. *J. Mar. Biol. Assoc.* 76: 811-820.

Goold, J.C. (1996c). Acoustic cetacean monitoring off the West Wales coast. Rep. from Univ. Wales Bangor, Gwynedd, for Chevron UK Ltd., Repsol Explor. (UK) Ltd., and Aran Energy Explor. Ltd. 20 p.

Gordon, J. and A. Moscrop. (1996). Underwater noise pollution and its significance for whales and dolphins. pp. 281-319 *In*: Simmonds, M.P. and J.D. Hutchinson (eds.), The conservation of whales and dolphins. John Wiley & Sons, New York, NY.

Greene, C.R., Jr. (1997). *Under-ice drill-rig sound, sound transmission loss, and ambient noise near Tern Island, Foggy Island Bay, Alaska*, February 1997. Greeneridge Rep. 187-1. Rep. from Greeneridge Sciences Inc., Santa Barbara, CA, and LGL Alaska Res. Assoc. Inc., Anchorage, AK, for BP Explor. (Alaska) Inc., Anchorage, AK. 22 p.

Harris, R.E., G.W. Miller, and W.J. Richardson. (2001). Seal responses to airgun sounds during summer seismic surveys in the Alaskan Beaufort Sea. *Mar. Mamm. Sci*. 17(4): 795-812.

HESS. (1999). High Energy Seismic Survey review process and interim operational guidelines for marine surveys offshore Southern California. Rep. from High Energy Seismic Survey Team for Calif. State Lands Comm. and U.S. Minerals Manage. Serv., Camarillo, CA. 39 p. + Appendices.

Heyning, J.E. (2002). Cuvier's beaked whale, *Ziphius cavirostris*. p. 305-307 *In* W. F. Perrin, B. Wursig, and J. G. M. Thewissen (eds.), Encyclopedia of marine mammals. Academic Press. 1414 p.

Hilton-Taylor, C. (2000). 2000 IUCN Red List of Threatened Species. IUCN/SSC, Gland, Switzerland and Cambridge, UK.

Houghton Mifflin Company (2000). *The American Heritage Dictionary of the English Language, Fourth Edition*. Information provided by www.dictionary.com.

IAGC (2001). *Environmental Manual for Worldwide Geophysical Operations*.

IFC (1998). *Guidance Note B Content of an Environmental Impact Assessment Report: Environmental and Social Review Procedure (ESRP).*

International Hydrological Programme (1979). *Predicting Effects of Power Plant Once-Through Cooling Systems*. Report of IHP Working Group 6.2 on Effects of Thermal Discharges. UNESCO.

IAGC (2001). The International Association of Geophysical Contractors *Environmental Manual for Worldwide Geophysical Operations*. 2001 Edition.

IUCN (2002). *IUCN Red List of Threatened Species*. IUCN: The World Conservation Union. Gland, Switzerland and Cambridge, UK.

IUCN (2001). *IUCN Red List of Threatened Species*. IUCN - The World Conservation Union. Gland, Switzerland.

IUCN (2000). *IUCN Red List of Threatened Species.* IUCN, Gland, Switzerland and Cambridge, UK.

IUCN. (1996). 1996 IUCN Red List of Threatened Animals. IUCN, Gland, Switzerland and Cambridge, UK.

JBIC (1999). *Environmental Guidelines for ODA Loans*.
Jefferson, T. A. (2002). Dall's Porpoise, *Phocenoides dalli*. p. 308-310 *In* W. F. Perrin, B. Wursig, and J. G. M. Thewissen (eds.), Encyclopedia of marine mammals. Academic Press. 1414 p.

JNCC. (1998). Guidelines for minimising acoustic disturbance to marine mammals from seismic surveys. Web Edition. Joint Nature Conservation Committee, Aberdeen, Scotland. 7 p.

JNCC (2000). *Guidance Note for Minimising Acoustic Disturbance to Marine Mammals from Seismic Surveys*. Web Edition. Joint Nature Conservation Committee, Aberdeen, Scotland. 7 p.

Johnson, C.S. (1968). Relation between absolute threshold and duration-of-tone pulses in the bottlenose dolphin. *J. Acoust. Soc. Am*. 43(4):757-763.

Johnson, C.S., M.W. McManus, and D. Skaar. (1989). Masked tonal hearing thresholds in the beluga whale. *J. Acoust. Soc. Am*. 85(6):2651-2654.

Johnson, S.R. (2002). *Marine mammal mitigation and monitoring program for the 2001 Odoptu 3-D seismic survey, Sakhalin Island, Russia: Executive summary*. Report by LGL Limited, Sidney, BC, Canada, for Exxon Neftegas Limited, Yuzhno-Sakhalinsk, Russia. 49 p.

Jones, M.L., S.L. Swartz, and S. Leatherwood. (1984). The gray whale *Eschrichtius robustus*. Academic Press, Orlando, FL. 600 p.

Kastak, D. and R.J. Schusterman. (1995). Aerial and underwater hearing thresholds for 100 Hz pure tones in two pinniped species. p. 71-79 *In:* R.A. Kastelein, J.A. Thomas, and P.E. Nachtigall (eds.), Sensory Systems of Aquatic Mammals. De Spil, Woerden, The Netherlands.

Kastak, D. and R.J. Schusterman. (1998). Low-frequency amphibious hearing in pinnipeds: methods, measurements, noise, and ecology. *J. Acoust. Soc. Am.* 103(4): 2216-2228.

Kastak, D., R.J. Schusterman, B.L. Southall, and C.J. Reichmuth. (1999). Underwater temporary threshold shift induced by octave-band noise in three species of pinniped. *J. Acoust. Soc. Am.* 106(2):1142-1148.

Kasuya, T. (2002). Giant beaked whales, *Berardius bairdii* and *B. arnuxii*. p. 519-522 *In* W. F. Perrin, B. Wursig, and J. G. M. Thewissen (eds.), Encyclopedia of marine mammals. Academic Press. 1414 p.

Ketten, D.R. (1994). Functional analysis of whale ears: adaptations for underwater hearing. IEEE Proc. Underwat. Acoustics 1:264-270.

Ketten, D.R. (1995). Estimates of blast injury and acoustic trauma zones for marine mammals from underwater explosions. p. 391-406 *In:* J.A. Kastelein, P.E. Thomas, and P.E. Nachtigall (eds.), Sensory systems of aquatic mammals. De Spil, Woerden, Netherlands.

Ketten, D.R. (2000). Cetacean ears. p. 43-108 *In:* W.W.L. Au, A.N. Popper and R.R. Fay (eds.), Hearing by whales and dolphins. Springer-Verlag, New York, NY. 485 p.

Ketten, D.R. (1991). The marine mammal ear: Specializations for aquatic audition and echolocation. p. 717-750 *In*: D. Webster, R. Fay and A. Popper (eds.), The biology of hearing. Springer-Verlag, Berlin.

Ketten, D.R. (1992). The cetacean ear: Form, frequency, and evolution. p. 53-75 *In*: J.A. Thomas, R.A. Kastelein and A.Ya. Supin (eds.), Marine mammal sensory systems. Plenum, New York. 773 p.

Komex (2002). *Kurile Okhotsk Sea Marine Experiment*. Information provided by Komex at http://www.geomar.de/projekte/komex.html.

Косыгин Г.М., Ащепков А.Т., Когаи В.М., Кузин А.Е, Лагерев С.И., Маминов М.К., Перлов А.С., Трухин А.М. (1985 г.). Инструкции для тюленеводов. – Владивосток, ТИНРО. 117 стр.

Косыгин Г.М., Трухин А.М., Бурканов В.Н., Махныр А.И. (1986 г.). Лежбище тюленей-ларга на берегу Охотского моря. Исследовательские работы по морским млекопитающим северной части Тихого Океана в 1984-85 гг. 60-70 стр.

Красная Книга РСФСР (Животные) (1985 г.). Москва, Россельхозиздат. 455 стр.

Krupnick, I.I. (1984). Gray whales and the aborigines of the Pacific Northwest: the history of aboriginal whaling. p. 103-120 *In*: M.L. Jones, S.L. Swartz, and S. Leatherwood (eds.), The gray whale *Eschrichtius robustus*. Academic Press, Orlando, FL. 600 p.

Kryter, K.D. (1985). The effects of noise on man, 2nd ed. Academic Press, Orlando, FL. 688 p.

Кузин А. Е., Маминов М.К., Перлов А.С. (1984 г.). Численность ластоногих и кана на Курильских островах. В сборнике морских млекопитающих Дальнего Востока. Владивосток. стр. 54-72.

Кузин А. Е. (2001 г.). Результаты изучения морских львов Тюленьего острова в 1989-1997 гг.–Результаты изучения дальневосточных морских млекопитающих в 1991-2000 гг. М., ВНИРО, стр. 106-115.

Кузьмин А.А., Берзин А.А. (1975 г.). Распределение и современное состояние численности гладких и серых китов дальневосточных морей. Биол. ресурсы морей Дальнего Востока. Тез. докл. Всесоюзн. совещ., Владивосток. стр. 121-122.

Лагерев С.Л. (1988 г.). Результаты авиационного обследования береговых лежбищ тюленей Охотского моря в 1986 г. Научно-исследовательские работы по морским млекопитающим северной части Тихого океана в 1986-1987 гг., Москва: стр. 80-89.

Lander, R.H., and Kajimura, H. 1982. Status of northern fur seals. p. 319-345 *In* Mammals in the Seas. FAO Fisheries Series No. 5, Volume IV. FAO, Rome, Italy.

Lawson, J.W. (2000). Seismic program described, 1999 . p. 2-1 to 2-21 *In:* W.J. Richardson (ed.), Marine mammal and acoustical monitoring of Western Geophysical's open-water seismic program in the Alaskan Beaufort Sea, 1999. LGL Rep. TA2313-4. Rep. from LGL Limited, King City, ON, and Greeneridge Sciences Inc., Santa Barbara, CA, for Western Geophysical, Houston, TX, and U.S. Nat. Mar. Fish. Serv., Anchorage, AK, and Silver Spring, MD. 155 p.

Lawson, J.W. (2002). Seismic program described, 2001. p. 2-1 to 2-22 *In:* W.J. Richardson and J.W. Lawson (eds.), Marine mammal monitoring of WesternGeco's open-water seismic program in the Alaskan Beaufort Sea, 2001. LGL Rep. 2564-4. Rep. from LGL Limited, King City, ON, for WesternGeco LLC, Anchorage, AK; BP Explor. (Alaska) Inc., Anchorage, AK; and Nat. Mar. Fish. Serv., Anchorage, AK, and Silver Spring, MD. 95 p.

LeBoeuf, B.J., H. Perez-Cortes, R.J. Urban, B.R. Mate, and F. Ollervides. (2000). High gray whale mortality and low recruitment in 1999: potential causes and implications. *J. Cet. Res. Manage*. 2:85-99.

LeDuc, R.G., D.W. Weller, A.M. Burdin, J. Hyde, B. Würsig, R.L. Brownell, and A.E. Dizon. (2000). Genetic differences between western and eastern North Pacific gray whales. *Rep. Int. Whal. Comm. Sci. Comm.* SC/52/SD16.

Ljungblad, D.K., B. Würsig, S.L. Swartz, and J.M. Keene. (1988). Observations on the behavioral responses of bowhead whales (*Balaena mysticetus*) to active geophysical vessels in the Alaskan Beaufort Sea. *Arctic* 41(3):183-194.

Ljungblad, D.K., S.E. Moore, D.R. Van Schoik, and C.S. Winchell. (1982). Aerial surveys of endangered whales in the Beaufort, Chukchi, & northern Bering Seas. NOSC Tech. Doc. 486. Rep. from Naval Ocean Systems Center, San Diego, CA, for U.S. Bur. Land Manage., Washington, DC. 406 p. NTIS AD-A126 542/0.

Malme, C.I. and P.R. Miles. (1985). Behavioral responses of marine mammals (gray whales) to seismic discharges. p. 253-280 *In*: G.D. Greene, F.R. Engelhardt, and R.J. Paterson (eds.), Proc. workshop on effects of explosives use in the marine environment, Jan. 1985, Halifax, N.S. Tech. Rep. 5. Can. Oil & Gas Lands Admin., Environ. Prot. Br., Ottawa, ON. 398 p.

Malme, C.I., B. Würsig, J.E. Bird, and P. Tyack. (1988). Observations of feeding gray whale responses to controlled industrial noise exposure. *In*: Sackinger, M.O., J.L. Jefferies, and S.D. Treacy (eds.), Port and Ocean Engineering under Arctic Conditions, Volume II. Geophysical Institute, University of Alaska, Fairbanks, AK.

Malme, C.I., P.R. Miles, C.W. Clark, P. Tyack, and J.E. Bird. (1983). Investigations of the potential effects of underwater noise from petroleum industry activities on migrating gray whale behavior. BBN Rep. 5366. Rep. from Bolt Beranek & Newman Inc., Cambridge, MA, for U.S. Minerals Manage. Serv., Anchorage, AK. Var. pag. NTIS PB86-174174.

Malme, C.I., P.R. Miles, C.W. Clark, P. Tyack, and J.E. Bird. (1984). Investigations of the potential effects of underwater noise from petroleum industry activities on migrating gray whale behavior/Phase II: January 1984 migration. BBN Report 5586. Report from Bolt Beranek & Newman Inc., Cambridge, MA.

Malme, C.I., P.R. Miles, P. Tyack, C.W. Clark, and J.E. Bird. (1985). Investigation of the potential effects of underwater noise from petroleum industry activities on feeding humpback whale behavior. BBN Rep. 5851; OCS Study MMS 85-0019. Rep. from BBN Labs Inc., Cambridge, MA, for U.S. Minerals Manage. Serv., Anchorage, AK. NTIS PB86-218385.

Malme, C.I., P.W. Smith Jr., and P.R. Miles. (1986). Study of the effects of offshore geophysical acoustic survey operations on important commercial fisheries in California. BBN Rep. 6125; OCS Study MMS 86-0032. Rep. from BBN Labs., Inc., Cambridge, MA, for Battelle Labs, Ventura, CA, and U.S. Minerals Manage. Serv., Los Angeles, CA. 106 p.

Malme, C.I., Smith, P.W. and Miles, P.R. (1986). *Characterisation of Geophysical Acoustic Survey Sounds.*

Mate, B.R., K.M. Stafford and D.K. Ljungblad. (1994). A change in sperm whale (*Physeter macrocephalus*) distribution correlated to seismic surveys in the Gulf of Mexico. *J. Acoust. Soc. Am.* 96(5, Pt. 2):3268-3269.

McCauley, R.D. (1994). Seismic surveys. Pages 19-121 *In*: J.M. Swan, J.M. Neff and P.C. Young (eds.), Environmental implications of offshore oil and gas development in Australia/The findings of an independent scientific review. Austral. Petrol. Explor. Assoc., Sydney, NSW. 696 p.

McCauley, R.D. (1994). *Environmental Implications of Offshore Oil and Gas Development in Australia – Seismic Survey.*

McCauley, R.D., J. Fewtrell, A.J. Duncan, C. Jenner, M.-N. Jenner, J.D. Penrose, R.I.T. Prince, A. Adhitya, J. Murdoch, and K. McCabe. (2000). Marine seismic surveys -- a study of environmental implications. *Austral. Petrol. Prod. & Explor. Assoc. J.* 40:692-708.

McCauley, R.D., M.-N. Jenner, C. Jenner, K.A. McCabe, and J. Murdoch. (1998). The response of humpback whales (*Megaptera novaeangliae*) to offshore seismic survey noise: preliminary results of observations about a working seismic vessel and experimental exposures. *Austral. Petrol. Prod. & Explor. Assoc. J.* 38:692-707.

McDonald, M.A., J.A. Hildebrand, S. Webb, L. Dorman, and C.G. Fox. (1993). Vocalizations of blue and fin whales during a midocean ridge airgun experiment. *J. Acoust. Soc. Am.* 94(3, Part 2):1849.

Miller, G.W., R.E. Elliott, W.R. Koski, V.D. Moulton and W.J. Richardson. (1999). Whales. p. 5-1 to 5-109 *In*: W.J. Richardson (ed.), Marine mammal and acoustical monitoring of Western Geophysical's open-water seismic program in the Alaskan Beaufort Sea, 1998. LGL Rep. TA2230-3. Rep. from LGL Limited, King City, ON, and Greeneridge Sciences Inc., Santa Barbara, CA, for Western Geophysical, Houston, TX, and U.S. Nat. Mar. Fish. Serv., Anchorage, AK, and Silver Spring, MD. xx + 390 p.

Mineral management Services (1989). *Handbook for Estimating the Potential Air Quality Impacts Associated with Oil & Gas Development Offshore California.* Mineral Management Services POCS Technical Paper 83-12.

Mizue, K. (1951). Gray whales in the East Sea area of Korea. *Sci. Rep. Whal. Res. Inst.* 5:71-79.

MMS (Minerals Management Service). (2002). Notice to lessees and operators of federal oil, gas, and sulphur leases and pipeline right-of-way holders in the outer continental shelf, Gulf of Mexico OCS region. U.S. Department of the Interior, Mineral Management Service, Operations and Safety Management, NTL No. 2002-G01.

Møhl, B. (1968). Auditory sensitivity of the common seal in air and water. *J. Acoust. Soc. Am.* 8(1): 27-38.

Moore, P.W.B. and R.J. Schusterman. (1987). Audiometric assessment of Northern fur seals, *Callorhinus ursinus*. *Mar. Mamm. Sci.* 3(1): 31-53.

Moore, S.E. and J.T. Clarke. (2002). Potential impact of offshore human activities on gray whales. *J. Cetacean Res. Manage*. 4(1): 19-25.

Moulton, V.D. and J.W. Lawson. (2002). Seals, 2001. p. 3-1 to 3-48 *In:* W.J. Richardson and J.W. Lawson (eds.), Marine mammal monitoring of WesternGeco's open-water seismic program in the Alaskan Beaufort Sea, 2001. LGL Rep. 2564-4. Rep. from LGL Limited, King City, ON, for WesternGeco LLC, Anchorage, AK; BP Explor. (Alaska) Inc., Anchorage, AK; and Nat. Mar. Fish. Serv., Anchorage, AK, and Silver Spring, MD. 95 p.

Государственный комитет Российской Федерации по охране окружающей среды (2000 г.). *Приказ № 236*.

National Snow and Ice Data Centre (NSIDC) (2002). Arctic Climatology and Meteorology. Information provided by the NSIDC at http://nsidc.org/.

Nerini, M. (1984). A review of gray whale feeding ecology. p. 451-463 *In:* M.L. Jones, S.L. Swartz, and S. Leatherwood (eds.), The Gray Whale, (*Eschrichtius robustus)*. Academic Press, Inc., Orlando, Florida.

NMFS (U.S. Natl. Mar. Fish. Serv.). (2000a). Small takes of marine mammals incidental to specified activities, marine seismic-reflection data collection in southern California/ Notice of receipt of application. Fed. Regist. 65 (28 Mar.):16374-16379.

NMFS. (1999). Our Living Oceans: Report on the status of U.S. living marine resources, 1999. U.S. Dept. of Commerce, NOAA Tech. Memo. NMFS-F/SPO-41, on-line version, http://spo.nwr.noaa.gov/fa1.pdf.

NMFS. (2000b). Small takes of marine mammals incidental to specified activities; marine seismic-reflection data collection in southern California/Notice of issuance of an incidental harassment authorization. Fed. Regist. 65(125, 28 June):39871-39878.

NMFS. (1996). Small takes of marine mammals; harassment takings incidental to specified activities in arctic waters; regulation consolidation. Fed. Regist. 61(70, 10 Apr.): 15884-15891.

NOAA (2002). Sea of Okhotsk. Information provided on the National Oceanic and Atmospheric Administration (NOAA) website at http://www.noaa.gov.

NOAA and U.S. Navy. (2001). Joint interim report/Bahamas marine mammal stranding event of 14-16 March 2000. Nat. Oceanic & Atmosph. Admin. and U.S. Navy, [Washington, D.C.]. 61 p.

Norris, K.S., B. Villa-Ramirez, G. Nichols, B. Würsig, and K. Miller. (1983). Lagoon entrace and other aggregations of gray whales, *Eschrichtius robustus*. p. 259-293, *In*: R. Payne (ed.), Behaviour and communication of whales. Westview Press, Boulder, CO.

Nowak, R.M. (1999). Walker's Mammals of the World. Sixth Edition. Volume II. The Johns Hopkins University Press, Baltimore and London.

NUPI Centre for Russian Studies (2002). *Ethnic Composition of Sakhalin*. Document provided by NUPI at http://nupi.no/cgi-win/Russland.

Olson, P. A. and S.B. Reilly. (2002). Pilot whales, *Globicephala melas* and *G. macrorhynchus*. p. 898-903 *In* W. F. Perrin, B. Wursig, and J. G. M. Thewissen (eds.), Encyclopedia of marine mammals. Academic Press. 1414 p.

Перлов А.С., Владимирова В., Ревякина З.В., Исмаил-Заде И, Язвенко С., Джонсон С.Р. (1997 г.). Обзор литературы (информации) по морским млекопитающим вблизи острова Сахалин, в Охотском море, Россия. Отчет LGL Limited, Sidney, BC, for AGRA Earth & Environmental, Calgary AB. 31 стр. + таблицы и рисунки (на русском).

Перлов А.С., Владимирова В., Ревякина З.В., Исмаил-Заде И, Язвенко С., Джонсон С.Р. (1996 г.). Обзор литературы (информации) по морским млекопитающим вблизи острова Сахалин, в Охотском море, Россия. Итоговый отчет Тихоокеанского исследовательского института рыболовства и океанографии (ТИНРО), Государственный комитет рыболовства и океанографии, Владивосток, Россия, и LGL Limited, environmental research associates, Sidney, B.C., Canada, for Marathon Oil Company, Littleton, CO. 32 стр.

Perrin, W. F. (2002). Common dolphins, *Delphinus delphis, D. capensis,* and *D. tropicalis*. p. 254-248 *In* W. F. Perrin, B. Wursig, and J. G. M. Thewissen (eds.), Encyclopedia of marine mammals. Academic Press. 1414 p.

Perrin, W. F., and R. L. Brownell, Jr. (2002). Minke whales, *Balaenoptera acutorostrata* and *B. bonaerensis*). p. 750-754 *In* W. F. Perrin, B. Wursig, and J. G. M. Thewissen (eds.), Encyclopedia of marine mammals. Academic Press. 1414 p.

Petromin (2001). *Boon to Asian Energy Supply*. Petromin, October 2001 issue.

Pike, G.C. (1962). Migration and feeding of the gray whale (*Eschrichtius gibbosus*). *J. Fish. Res. Board Can.* 19(5):815-838

Rice, D.W. (1998). Marine mammals of the world: Systematics and distribution. Soc. Mar. Mam. Spec. Pub. 4. 231 p.

Rice, D.W. and A.A. Wolman. (1971). The life history and ecology of the gray whale (*Eschrichtius robustus*). Am. Soc. Mam. Spec. Pub. 3. Stillwater, OK. 142p.

Richardson, W.J. and B. Würsig. (1997). Influences of man-made noise and other human actions on cetacean behaviour. Mar. Freshwat. Behav. Physiol. 29(1-4):183-209.

Richardson, W.J. and C.I. Malme. (1993). Man-made noise and behavioral responses. p. 631-700 *In*: J.J. Burns, J.J. Montague and C.J. Cowles (eds.), The bowhead whale. Spec. Publ. 2. Soc. Mar. Mamm., Lawrence, KS. 787 p.

Richardson, W.J., B. Würsig, and C.R. Greene Jr. (1986). Reactions of bowhead whales, *Balaena mysticetus*, to seismic exploration in the Canadian Beaufort Sea. *J. Acoust. Soc. Am.* 79(4): 1117-1128.

Richardson, W.J., B. Würsig, and G. Miller. (1987). Bowhead distribution, numbers and activities. P. 257-368. *In* W.J. Richardson (ed.), Importance of the Eastern Alaskan Beaufort Sea to feeding bowhead whales, 1985-86. OCS Study MMS 87-0037. Rep. from LGL Ecol. Res. Assoc., Bryan, TX, for U.S. Minerals Management Service, Reston, VA. 547 pp.

Richardson, W.J., C.R. Greene Jr., C.I. Malme, and D.H. Thomson. (1995). Marine mammals and noise. Academic Press, San Diego, CA. 576 p.

Richardson, W.J., G.W. Miller, and C.R. Greene Jr. (1999). Displacement of migrating bowhead whales by sounds from seismic surveys in shallow waters of the Beaufort Sea. *J. Acoust. Soc. Am*. 106(4, Pt. 2): 2281.

Ridgway, S.H., D.A. Carder, R.R. Smith, T. Kamolnick, C.E. Schlundt, and W.R. Elseberry. (1997). Behavioral responses and temporary shift in masked hearing threshold of bottlenose dolphins, *Tursiops truncatus*, to 1-second tones of 141 to 201 dB re 1 μPa. Tech. Rep. 1751. Tech. Rep. to NRaD, RDT&E Div., Naval Command, Control & Ocean Surveillance Center, San Diego, CA. 27 p.

Rosenbaum, H.C., R.L. Brownell, M.W. Brown, C. Schaeff, V. Portway, B.N. White, S. Malik, L.A. Pastene, N.J. Patenaude, C.S. Baker, M. Goto, P.B. Best, P.J. Clapham, P. Hamilton, M. Moore, R. Payne, V. Rowntree, C.T. Tynan, J.L. Bannister, and R. DeSalle. (2000). World-wide genetic differentiation of *Eubalaena*: questioning the number of right whale species. *Molec. Ecol*. 9(11):1793-1802.

Rugh, D.J., K.E.W. Shelden, and D.E. Withrow. (1997). Spotted seals, *Phoca largha*, in Alaska. *Mar. Fish. Rev*. 59(1): 1-18.

Rugh, D.J., K.E.W. Shelden, D.E. Withrow, H.W. Braham, and R.P. Angliss. (1993). Spotted seal summer distribution and abundance in Alaska. p. 94 *In:* Abstr. 10th Bienn. Conf. Biol. Mar. Mamm., Galveston, TX, Nov. 1993. 130 p.

Rugh, D.J., M.M. Muto, S.E. Moore, and D.P. DeMaster. (1999). Status review of the eastern North Pacific stock of gray whales. U.S. Dep. Commer. NOAA Techn. Memo. NMFS-AFC-103. 96 p.

Schlundt, C.E., J.J. Finneran, D.A. Carder, and S.H. Ridgway. (2000). Temporary shift in masked hearing thresholds of bottlenose dolphins, *Tursiops truncatus*, and white whales, *Delphinapterus leuca*s, after exposure to intense tones. *J. Acoust. Soc. Am.* 107(6):3496-3508.

Schusterman, R., D. Kastak, B. Southall, and C. Kastak. (2000). Underwater temporary threshold shifts in pinnipeds: tradeoffs between noise intensity and duration. *J. Acoust. Soc. Am.* 108 (5, Pt. 2):2515-2516.

"Сахалин Энерджи" интернет-страница (2002). http://www.sakhalinenergy.com.

Shell HSE Advisers Panel (1999). *Technical Guidance for Environmental Assessment.*

Шунтов В.П. (1994 г.). Новые данные о распределении китов и дельфинов в северо-западной части Тихого океана. *Биол. Моря* 20(6):436-442.

Шунтов В.П. (1995 г.). *Новые данные о распределении китов и дельфинов в северо-западной части Тихого океана. Росс. Ж. Биол. Моря* 20(6):331-336.

Simmonds, M.P. and L.F. Lopez-Jurado. (1991). *Whales and the military.* Nature (London) 351:448.

Slavic Research Centre (1999). *Special Reports on the Regional Studies of North-East Eurasia and North Pacific in Hokkaido University: Interdisciplinary Studies on "Economic Development and the Environment" in the Northeast Asian Sea Region.* Hokkaido University.

Слепцов М.М. (1961 г.). *Наблюдения за мелкими китообразными и дальневосточных морях и в северной части Тихого океана.* Труды института морфологии животных АН СССР, 1961, вып. 34, с. 136-143.

Соболевский Е.И. (2000 г.). *Изучение морских млекопитающих в водах северо-восточной части Сахалина, 1999.* Итоговый отчет Института морской биологии, Дальневосточное отделение Российской Академии Наук, Владивосток, для Сахалин Энерджи Инвестмент Компани, Южно-Сахалинск, Россия. 149 стр.

Соболевский Е.И. (2001). *Изучение морских млекопитающих в водах северо-восточной части Сахалина, 2000 г..* Итоговый отчет Института морской биологии, Дальневосточное отделение Российской Академии Наук, Владивосток, для Сахалин Энерджи Инвестмент Компани, Южно-Сахалинск, Россия. 199 стр.

Соболевский Е.И. (1984 г.). *Морские млекопитающие Охотского моря: их распределение, численность и роль как хищников для других животных. Совет Ж. Мор. Биол.* 9(5):244-251. Переводено из *Биология Моря*, № 5, стр. 13-20.

Соболевский Е.И. (1998 г.). *Наблюдения за поведением серых китов Eschrichtius gibbosus Erxl., 1777 на шельфе северовосточного Сахалина. Росс. Ж. Екол.* 29:103-108.

Соболевский Е.И., Яковлев Ю. М., Куссакин О.Г. (2000 г.). *Ряд данных о составе макробентоса на пастбищах серых китов* (*Eschrictius gibbosus* Erxl., 1777) *на шельфе северовосточного Сахалина. Экология* 2000(2):144-146. (на русском языке)

Stone, C.J. (2000). Cetacean observations during seismic surveys in 1998. JNCC Rep. 301. Joint Nature Conserv. Commit., Aberdeen, Scotland. 62 p.

Stone, C.J. (1998). *Cetacean observations during seismic surveys in 1997.* JNCC Reports, No. 278. Joint Nature Conserv. Commit., Aberdeen, Scotland.

Stone, C.J. (1997). *Cetacean observations during seismic surveys in 1996. JNCC Reports, No. 228.* Joint Nature Conserv. Commit., Aberdeen, Scotland.

Szymanski, M.D., D.E. Bain, K. Kiehl, S. Pennington, S. Wong, and K.R. Henry. (1999). *Killer whale (Orcinus orca) hearing: Auditory brainstem response and behavioral audiograms. J. Acoust. Soc. Am.* 106(2):1134-1141.

ТЭО-С Том 2А (2002 г.) *ТЭО-С Комплексного освоения Пильтун-Астохского и Лунского лицензионных участков: Том 2А Морские сооружения. ПА-В платформа +А23.* Книга 8 Охрана окружающей среды, Версия 5, июнь 2002 г.

ТЭО-С Том 2В (2002 г.) *ТЭО-С Комплексного освоения Пильтун-Астохского и Лунского лицензионных участков: Том 2В Лунское нефтегазоконденсатное месторождение Платформа Лун-А+А79* . Книга 8 Охрана окружающей среды, Версия 5, июнь 2002 г.

Terhune, J. and S. Turnbull. (1995). *Variation in the psychometric functions and hearing thresholds of a harbour seal.* p. 81-93 *In*: R.A. Kastelein, J.A. Thomas and P.E. Nachtigall (eds.), Sensory Systems of Aquatic Mammals. De Spil Publishers, Woerden, Netherlands.

Thompson, D., M. Sjöberg, E.B. Bryant, P. Lovell, and A. Bjorge. (1998). *Behavioural and physiological responses of harbour (Phoca vitulina) and grey (Halichoerus grypus) seals to seismic surveys.* Abstr. World Mar. Mamm. Sci. Conf., Monaco, Jan. 1998:134. 160 p.

Thomson, D.H. (1983). *Distribution, production, and ecology of gray whale prey species. In*: D.H. Thomson (ed.), *Feeding ecology of gray whales (Eschrichtius*

robustus) in the Chirikof Basin, summer 1982. U.S. Dept. Commerce, NOAA/OCSEAP Final Rep. 43(1986):227-292.

Thomson, D.H. and L.R. Martin. (1983). *Feeding ecology of gray whales in the Chirikof Basin*. p. 80-154 *In* D.H. Thomson (ed.), *Feeding ecology of gray whales (Eschrichtius robustus) in the Chirikof Basin, summer 1982*. U.S. Dept. Commerce, NOAA/OCSEAP Final Rep. 43(1986):337-340.

Томилин А.Г. (1971 г.). *Китообразные* В книге: Жизнь животных. Москва, Просвещение, 1971 г., Т.6, с. 251-300.

Томилин А.Г. (1937 г.). *Китообразные Дальнего Востока*. Уч. зап. МГУ(2):119-167.

Trade Partners UK (2002). *Russia profile*. Information provided by Trade Partners UK at www.tradepartners.gov.uk.

Tremel, D.P., J.A. Thomas, K.T. Ramirez, G.S. Dye, W.A. Bachman, A.N. Orban, and K.K. Grimm. (1998). *Underwater hearing sensitivity of a Pacific white-sided dolphin, Lagenorhynchus obliquidens. Aquat. Mamm.* 24(2):63-69.

Трухин А.М. (1999 г.). *Ларга (Phoca largha Pall. 1811) дальневосточных морей. Распределение, особенности биологии, перспективы коммерческого использования*. Тезисы кандидата биологических наук – ТОИВДО РАН, Владивосток. 22 с.

Turnpenny, A.W.H. and J.R. Nedwell. (1994). *The effects on marine fish, diving mammals and birds of underwater sound generated by seismic surveys.* FCR 089/94. Fawley Aquatic Research Labs. Ltd., Southampton, UK. 52 p.

Turnpenny, A.W.H. and Nedwell, J.R. (1994). *Consultancy Report – the Effects on Marine Fish, Diving Mammals and Birds of Underwater Sound Generated by Seismic Surveys.*

Turnpenny, A.W.H., K.P. Thatcher and J.R. Nedwell. (1994). *The effects on fish and other marine animals of high level underwater sound*. Rep. by FAWLEY Aquatic Research Laboratories Ltd., Southampton, U.K., for U.K. Offshore Operators Association, London. 45 p.

UK JNCC (1998). *Guidelines for Minimising Acoustic Disturbance to Marine Mammals from Seismic Surveys.* Joint Nature Conservation Committee.
UK Offshore Operators' Association (2002). Information provided by UKOOA at http://www.ukooa.co.uk.

UK Offshore Operators Association Ltd (1995). *Environmental Guidelines for Exploration Operations in Nearshore and Sensitive Areas*. UKOOA, London.

UNEP (2002). Information provided by the United Nations Environment Programme (Balkans) at http://balkans.unep.ch.

US EPA (1985). *Compilation of Air Pollutant Emissions Factors – Volume 2 – Mobile Sources.* Ann Arbour, Michigan.

US National Oceanic Data Centre (NODC)(2001). *Hydrochemical Atlas of the Sea of Okhotsk*. Document provided by NODC at http://www.nodc.noaa.gov.

USFWS (U.S. Fish and Wildlife Service). (1997). *Endangered and threatened wildlife and plants.* U.S. Dep. of Interior, U.S. Government Printing Office, Washington, DC. 52 p.

US-Japan Cooperative Program in Natural Resources (UJNR) (2002). *The Present Status of Major Marine Cultivation and Propagation in Hokkaido.* Document provided by the UJNR at http://www.lib.noaa.gov/aquaculture/aquaculture_panel.htm.

Владимиров В.А. (2001 г.). *Состояние популяции котиков Тюленьего острова и Курильских островов в 2000 г.* Результаты изучения дальневосточных морских млекопитающих в 1991-2000 гг. М., ВНИРО, стр. 175 – 176.

Владимиров В.Л. (1994 г.). *Существующее распределение и размер популяции китов в дальневосточных морях*. Росс. Ж. Мор. Биол. 20:3-13. (на русском языке)

Вотрогов Л.М. и Богословская Л.М. (1986 г.). *Справка о серых китах в водах Камчатки, Курильских островов и заливе Петра Великого*. Отч. Межд. Кит. Комм. 36:281-282.

Waerebeek, K. V., and B. Würsig. (2002). *Pacific white-sided dolphin and dusky dolphin* (*Lagenorhynchus obliquidens and L. obscurus*). p. 859-861 *In* W. F.

Watkins, W.A. (1986). *Whale reactions to human activities in Cape Cod waters.* Mar. Mamm. *Sci.* 2:251-262.

Watkins, W.A., K.E. Moore, and P. Tyack. (1985). *Sperm whale acoustic behaviors in the southeast Caribbean*. Cetology 49.

Weller, D.W., A.M. Burdin, A.L. Bradford, G.A. Tsidulko, Y.V. Ivashchenko, and R.L. Brownell. (2002a). *Gray whales off Sakhalin Island, Russia: June-September 2001. A joint US-Russia scientific investigation*. Final contract report prepared by Texas A&M University, Kamchatka Institute of Ecology and Nature Management, and National Marine Fisheries Service, for Sakhalin Energy Investment Company. 75 pp.

Weller, D.W., S.H.Reeve, B. Würsig, A.L. Bradford, A.M. Burdin, S.A., Würsig, R.L. and Brownell. (2002b). *A note on the spatial distribution of western gray whales (Eschrichtius robustus) off Sakhalin Island, Russia, in 1998. J. Cetacean Res. Manage*. 4(1): 13-17.

Weller, D.W., Burdin, S.A., and R.L.Brownell (2001a). The western North Pacific gray whale: a review of past exploitation, current status and potential threats. Int. Whal. Comm. Sci. Comm. Rep. SC / 53 / BRG 12. 16. p.

Weller, D.W., B. Würsig, and A.M. Burdin. (2001a). *Gray whales off Sakhalin Island, Russia: June-September 2000. A joint U.S.-Russian scientific investigation*. Interim Report by Texas A&M University, College Station, TX, and Kamchatka Institute of Ecology and Nature Management, Russian Academy of Sciences, Petropavlosk-Kamchatkii, Russia, for Sakhalin Energy Investment Company Limited, Yuzhno-Sakhalinsk, Russia. 24 p.

Weller, D.W., and R.L.Brownell (2000). Eschricthius robustus (Asian or Northwest Pacific Stock). In: C. Hilton-Taylor (comp.), 2000 IUCN Red List of Threatened Species. IUCN / SSC, Gland, Switzerland and Cambridge, UK.

Weller, D.W., B.G. Würsig, A.M. Burdin, S. Reeve, A.L. Bradford. (2000). *Gray whales summering off Sakhalin Island, Far East Russia: June-October 1999. A joint U.S.-Russian scientific investigation.* Report by Texas A&M University, College Station, TX, and Kamchatka Institute of Ecology and Nature Management, Russian Academy of Sciences, Kamchatka, Russia. 69 pp.

Weller, D.W., B. Würsig, A.L.Bradford, A.M. Burdin, S.A Blokhin, H. Minakuchi and R.L.Brownell, Jr. (1999). Gray whales (Eschrichtius robustus) off Sakhalin Island, Russia: Seasonal and annual occurrence patterns. Mar. Mam. Sci. 15: 1208-1227.

Wells, R. S. and M.D. Scott. (2002). *Bottlenose dolphins (Tursiops truncates and T. aduncus).* p. 750-754 *In* W. F. Perrin, B. Wursig, and J. G. M. Thewissen (eds.), Encyclopedia of marine mammals. Academic Press.

White, M.J., Jr., J. Norris, D. Ljungblad, K. Baron, and G. di Sciara. (1978). *Auditory thresholds of two beluga whales (Delphinapterus leucas*). HSWRI Tech. Rep. 78-109. Rep. from Hubbs/Sea World Research Institute, San Diego, CA, for U.S. Naval Ocean Systems Center, San Diego, CA. 35 p.

World Bank (1999). *Environmental Assessment Sourcebook.*

Würsig, B. and P.G.H. Evans. (2001). *Cetaceans and humans: influences of noise.* p. 565-587 *In*: P.G.H. Evans and J.A. Raga (eds.), Marine mammals/Biology and conservation. Kluwer Academic/Plenum Publ., New York, NY.

Würsig, B.G., D.W. Weller, A.M. Burdin, S.H. Reeve, A.L Bradford, S.A. Blokhin, and R.L Brownell (Jr.). (1999). *Gray whales summering off Sakhalin Island, Far East Russia: July-October 1997.* A joint U.S.-Russian scientific investigation. Final Report by Texas A&M University, College Station, TX, and Kamchatka Institute of Ecology and Nature Management, Russian Academy of Sciences, Kamchatka, Russia, for Sakhalin Energy Investment

Company Limited and Exxon Neftegaz Limited, Yuzhno-Sakhalinsk, Russia. 101 p.

Würsig, B.G., D.W. Weller, A.M. Burdin, S.H. Reeve, A.L. Bradford, and S.A. lokhin. (2000). *Gray whales summering off Sakhalin Island, Far East Russia: July-September 1998*. A joint U.S.-Russian scientific investigation. Final Report by Texas A&M University, College Station, TX, and Kamchatka Institute of Ecology and Nature Management, Russian Academy of Sciences, Kamchatka, Russia, for Sakhalin Energy Investment Company Limited and Exxon Neftegaz Limited, Yuzhno-Sakhalinsk, Russia. 139 p.

Яблоков А.В., Боголовская Л.С. (1984 г.). *Обзор российского исследования по биологии и охоты на серых китов*. с. 465-485 *В*: М.Л.

Южно-Сахалинский государственный педагогический институт (1998 г.). *Научный отчет о камеральном археологическом исследовании участка планируемого размещения объектов проекта «Сахалин-2» на морском месторождении нефти и газа «Лунское» в районе Ноглики Сахалинской области, 1998 г.*

Зенкович В.А. (1937 г.). *Корм дальневосточных китов*. Д АС СССР 16(4):231–234. (на русском языке).

Зенкович В.А. (1934 г). *Корм серого калифорнийского кита*.

Зимушко В.В., Ленская С.А. (1970 г.). Кормление серого кита (*Eschrichtius gibbosus* Erxl.) в местах летнего нагула. *Экология* 3:26-35. (на русском языке).